

Summary

TECHNICAL FEATURES

Range description and technical features	1
------------------------------------------	---

TRACTOR RECOMMENDATIONS

• CASE IH	2-3
• CLAAS - RENAULT	4-5
• DEUTZ	6-7
• FENDT	8-9
• FIAT	10
• FORD	11
• HURLIMANN	12
• JOHN DEERE	13-14
• KUBOTA	15
• LAMBORGHINI	16-17
• LANDINI	18-19
• LINDNER	20
• MASSEY FERGUSON	21-22
• Mc CORMICK	23
• NEW HOLLAND	24-25
• SAME	26-27
• STEYR	28
• VALTRA – VALMET	29-30
• ZETOR	31

Prices pages 43 - 45

COMPONENTS (Individual components of loader)

Individual components of MP'A loaders	32
Individual components of MPower loaders	33
Individual components of MPower and MP'A loaders	34
Implement holder – Tools accessories	35
Interfaces	36

TOOLS

37-41

GENERAL SALES CONDITIONS

42

MP'A LOADERS PRICES

43-44

MPOWER LOADERS PRICES

CAUTION :

Assembly, outwith recommendations, presents risks on the loader as well as on the tractor. Consequently, no guarantee will be taken into account for any assembly outwith recommendations.

Manip is discharged from all liability, if the tractor on which the loader is assembled is not equipped with a protection against the reversal of the tractor (ROPS) and against the falling of objects (FOPS).

Technical Features & Equipment

	Orchard		MP'A			MPower						
	MP'45A	MP'55A	MP'60A	MP'70A	MP'90A	60	80	100	120	140	160	180
Tractor Power* (HP)	40-80	40-80	50-80	60-90	70-110	50-80	60-95	70-110	95-140	100-160	100-160	+ 150
Lift height tool axis* (m)	2,95	3,45	3,45	3,77	3,92	3,55	3,80	4,00	4,15	4,27	4,27	4,50
Lifting capacity on pallet stacker on the ground (kg) (1)	1450	1770	1240	1770	1900	1560	2100	2440	2510	2910	2910	2900
Lifting capacity on pallet stacker at 2m00 (kg) (1)	1250	1240	1050	1150	1420	1320	1810	2160	2400	2545	2545	2560
Lifting capacity on pallet stacker at maximum height (kg) (1)	-	-	-	-	-	1200	1420	1880	2160	2125	2125	2300
Excavation angle on the ground*	37°	37°	37°	49°	49°	44°	49°	51°	52°	49°	44°	48°
Discharge angle at maximum height*	64°	60°	60°	53°	55°	58°	56°	54°	55°	54°	61°	63°
Lift cylinders (Ø mm)	65	65	65	70	75	65	75	80	80	80	80	90
Mechanical self-levelling	Yes	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Implement attachment	Euro	Euro	Euro	Euro	Euro	Euro	Euro	Euro	Euro	Euro	Euro	Euro
Arm width (mm)	940	940	1020	1020	1020	1020	1020	1020	1020	1020	1120	1120
Sub-Frame	Gliss-Matic	Gliss-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic	Mega-Matic HD	Mega-Matic HD
Pre-equipped implement attachment for Manip'Pic	2 tines	2 tines	2 tines	2 tines	2 tines	2 tines	2 tines	2 tines	2 tines	2 tines	3 tines	3 tines
Arm weight without option (kg)	390	430	400	455	560	540	640	670	700	820	900	1000

* May vary depending on the type of tractor equipped

(1) Control pressure at 180 bars at 60 l/mn at 900 mm in front of the pivot point

Note : These features may vary depending on the type of tractor equipped

Version	MP'A			MPower		
	Base	Comfort	Luxe	Base	Comfort	Luxe
Monoblock Subframe	●	●	●	●	●	●
Manip' monolever with 2 DA hydraulic distributor, floating position and SA/DA converter (1)	●	●	-	●	●	-
Manip'Drive with 2 DA hydraulic distributor, floating position and SA/DA converter (1)	○	○	●	○	○	●
HPS automatic tool repositioning (2)	○(2)	○(2)	●	○(2)	○(2)	●
3rd function	○	○	○	○	●	●
4th function	○	○	○	○	○	○
Manip'Fast loader multicouplers	○	●	●	○	●	●
PPS 2 tools multicoupler for 3rd function	○	○	○	-	-	-
Manip'Fast Tool 2 tools multicoupler for 3rd function	-	-	-	○	○	○
Manip'Fast Tool 4 tools multicoupler for 3rd and 4th function	-	-	-	○	○	○
Manip'Activ suspension	○	●	●	○	●	●
Euro holder with automatic tool locking	●	●	●	-	-	-
Manip'Lock euro holder tools hydraulic locking-unlocking system (3)	-	-	-	●	●	●
Hydro-Lock euro holder tools hydraulic locking-unlocking system	○	○	○	-	-	-
Manip'Pic bracket on euro holder	●	●	●	●	●	●
Manip'Pic with two tines and integrated box (4)	○	●	●	○	●	●
Utility Kit - Safety valves on lifting and tipping cylinders (5)	-	-	-	○	○	○

● Standard - ○ On Option - Not possible

(1) Only with **Manip' monolever** or **Manip'Drive**

(2) Only with **Manip'Drive**

(3) Standard on **MPower** versions

(4) Except **MPower 140, 160 and 180**

(5) Not compatible with **Manip'Activ suspension** and **floating position**

CASE IH			MPower and MPA Loaders											Notes
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	60	70		90								
CURRENT RANGE for MPower Loaders			60	80		100	120	140	160	180				
1	JXN 1070-1075 Roll bar	3	A3											2
2	JXN 1070-1075 Cab	3	A3											2
3	JXN 1095 Roll bar	4		A3										2
4	JXN 1095 Cab	4		A3										2
5	Quantum 65C-75C	4			B2									
6	Quantum 85C-95C	4			B2									
7	JX Maxxima 70 Tier II	3			B2									
8	JX 70-80Tier III	4				B3								
9	JX 90-95- Tier III	4					B3							
10	JXU 75-85-95-105 Tier III	4					B3							
11	CS 85-95-105	4					B2							2 4
12	MXU Maxxum 100-110 Access	4						B3						2
13	MXU Maxxum 100-110-120-130 X Line	4							B3					2 4 51
14	MXU Maxxum 110-120-130 Pro Line	4							B3					2 4 51
16	MXU Maxxum 100-110-120-130 X Line Suspension	4							B3					2 4 51
16	MXU Maxxum 115-125 Access	6											HD1	2
17	MXU Maxxum 115-125- 140 X Line	6											B4	2 4 51
18	MXU Maxxum 115-125-140 Pro Line	6											HD1	2 4 51
19	MXU Maxxum 115-125-140 Pro X Line Suspension	6											B4	2 4 51
20	Puma 125-140-155 Standard	6											HD1	2 4 51
21	Puma 125-140-155 Suspension	6											B5	2 4 51
22	Puma 165-180-195-210	6											HD1	2 4 51
23	CVX 140-150-160-175-195	6											B5	2 4 51

CASE IH			MPower and MPA Loaders											Notes
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	60	70		90								
RECENT RANGE for MPower Loaders			60	80		100	120	140	160	180				
1	JXC 1060-1070-1075	3			B2									2
2	JXC 1085-1095	4				B2								
3	JX 55-60-65	3			B2									
4	JX 75-80-85-90-95 2WD	4			B2	B2								
5	JX 75-80-85-90-95 4WD	4				B2								
6	JXU Maxxima 1070-1080-1090-1100-70-80-90-100	4					B3							
7	CS 80-90-100 Tier II	4					B2							2 4
8	MXU 100-110	4							B3					2 4
9	MXU 100-110 Suspension	4							B3					2 4
10	MXU 115-125-135	6											HD1	2 4
11	MXU 115-125-135 Suspension	6											B4	2 4
12	MXM 120-130-140-155 Maxxum Pro	6											HD1	4

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 51) For 3rd and 4th function with Armrest-Joystick on tractor valves extra cost 177€, Ref: 65801528

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

CLAAS			MPower and MPA Loaders											Notes		
			GM 940mm		MM 1020mm						HD 1120mm					
			45	55	65	75	85	95	105	115	125	160	180			
CURRENT RANGE for MPA Loaders			Cyl													
CURRENT RANGE for MPower Loaders				60	80	100	120	140	160	180						
1	Nectis 247-257-267 F Cab only	4		A3											25 38	
2	130-140 RB after 01/2007 Foldable roll bar	4		A3											2	
3	Nectis 247-257-267 F Roll bar	4		A3											25 38	
4	Axos 310-320-330-340-C-CL-CX Cab	4				B3										
5	Arion 510-520-530-540-CIS Open hydraulic circuit	4					B4									
6	Arion 510-520-530-540-CIS-CEBIS Load Sensing Circuit	4					B4								4	
7	Arion 610-620 C-CIS Open hydraulic circuit	6							B5							
8	Arion 610-620 CIS-CEBIS Load Sensing Circuit	6							B5						4	
9	Arion 630-640 C-CIS Open hydraulic circuit	6										HD1			4	
									B4							
10	Arion 630-640 CIS-CEBIS Load Sensing Circuit	6										HD1			4	
									B4							
RECENT RANGE																
11	Celtis 426-436-446-456 RC-RX	4					B3									
12	Ares 547-557-567-577	4						B3								4
13	Ares 617-657	6								B5						4
14	Ares 697	6									B5					4
OLD RANGE																
15	Ares 546-556-566	4						B3								4
16	Ares 616-626-656	6								B5						4
17	Ares 636-696	6									B5					4

RENAULT			MPower and MPA Loaders											Notes		
			GM 940mm		MM 1020mm						HD 1120mm					
			45	55	65	75	85	95	105	115	125	160	180			
RECENT RANGE for MPA Loaders			Cyl													
RECENT RANGE for MPower Loaders				60	80	100	120	140	160	180						
1	Fructus 110-120	3	A2													2
2	Fructus 130-140	4		A2												2
3	Dionis 110-120	3	A2													2
4	Dionis 130-140	4		A2												2
5	RB 130-140 After 01/04 Foldable roll bar	4		A3												2
6	RB 130-140 Before 01/04 Foldable roll bar	4		A3												2
7	Pales 210-220 Cab and roll bar on rear fender	3	A2													2
8	Pales 210-220 Roll bar on clutch bell	3	A2													2
9	Pales 230-240 Cab and roll bar on rear fender	4			B2											
10	Pales 230-240 Roll bar on clutch bell	4			B2											
11	Celtis 426-436-446-456 RC RX	4					B3									
12	Ergos 436-446-456-466 except Hydroshift	4					B3									
13	Ares 540-550	4						B3								4
14	Ares 546-556-566	4						B3								4
15	Ares 610-620	6								B5						4
16	Ares 616-626-656	6								B5						4
17	Ares 630-640	6								B5						4
18	Ares 636-696	6								B5						4
19	Temis 550	4						B3								
20	Temis 610-630	6								B5						

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 25) Exhaust facing downwards only.
- 38) Impossible with inversed driving and additional fuel tank.

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

RENAULT

MPower and MPA Loaders

OLD RANGE for MPA Loaders		Cyl	MPower and MPA Loaders														Notes		
			GM 940mm				MM 1020mm								HD 1120mm				
			45	55	65	75	85	95	105	115	125	60	70	80	90	100		120	140
OLD RANGE for MPower Loaders					60	70	80	90	100	120	140	160	180						
1	55.14 F & LB	3	A2																2
2	70-80/14 F & LB	4		A2															2
3	Ceres 65-310 MWM	3			B3														
4	Ceres 65-310 DPS	3			B3														
5	Ceres 70	3			B3														
6	Ceres 75 Perkins	4					B3												
7	Ceres 75-80-85-95 MWM	4					B3												
8	Ceres 75-80-85-95 DPS	4					B3												
9	Ceres 320-325-330-335-340-345-355 DPS	4					B3												
10	Ceres 320-325-330-335-340-345-355 MWM	4					B3												
11	Ergos 85-95-105	4					B3												
12	Cergos 330-335-340-345-350-355	4					B3												
13	58/32-58/34-65/32-65/34 MA,ME,MS,MX	3					B3												
14	70/32-75/32-80/32-85/32-90/32 MA,ME,MS,MX	4					B3												
15	70/34-75/34-80/34-85-34-90/34 MA,ME,MS,MX	4						B3											
16	75/34-85/34-90/34 TX	4						B3											
17	103/52-103/54 TS TX	4							B4										
18	106/54 TS TX	6								B5									
19	110/54-120/54-133/54-145/54 TS TX TZ	6									B6								32
20	58/12- 65/12-75/12-85/12 LS	3					B3												
21	58/14- 65/14-75/14-85/14 LS	3						B3											
22	68/14-75/14 RS-TS	4						B3											
23	70/12-80/12 SP	4					B3												
24	70/14-80/14 SP	4						B3											
25	77/12-80/12-85/12 TS TX	4					B3												
26	77/14-80/14-85/14 TS TX	4																	
27	95/14-103/14 RS TS TX	4							B4										
28	106/14 SP	6							B6										
29	110/14-113/14-120/14-133/14	6									B6								32
30	461-461S-462-521S-551S-552-556	3			B2														2
31	651-652-656	4					B3												24
32	681S-751S	4					B3												
33	751-781-781S	4					B3												
34	851-851S	4					B3												

Specific notes

- 2) Extensions to rear axle not possible
- 24) Fitting of extension to rear axle impossible with automatic hitch.
- 32) Modifications to exhaust (Supplied with subframe).

Advised loaders

A	GLISS MATIC subframe without extensions
A	GLISS MATIC subframe with extensions
B	MEGA MATIC subframe without extensions
B	MEGA MATIC subframe with extensions

Notes :

DEUTZ		MPower and MPA Loaders											Notes						
		GM 940mm		MM 1020mm						HD 1120mm									
		45	55	65	75	85	95	105	115	125	60	70		80	90	100	120	140	160
CURRENT RANGE for MPA Loaders		Cyl																	
CURRENT RANGE for MPower Loaders																			
1	Agrolux F 55-60 Roll bar	3	A3																17
2	Agrolux F 70-80 Roll bar	4	A3																17
3	Agroplus F-S 410-420 Cab	4		A3															
4	Agroplus F-S 410-420 Roll bar	4		A3															17
5	Agrolux 60-70 after 2008				B2														17 25
6	Agrolux 77-87-97 and LP	4					B3												17
7	Agrolux 57-67 Roll bar	3			B2														17
8	Agroplus 75S-90S-100S Cab	4	A3																17
9	Agroplus 75S-90S-100S Foldable roll bar	4	A3																17
10	Agroplus 67 Exhaust facing downwards	3			B2														
11	Agroplus 77-87	4			B2														
12	Agroplus 310-320	3			B2														
13	Agroplus 410	4			B2														
14	Agrofarm 410-420-430	4					B3												
15	Agroplus 430TTV	4					B3												
16	Agrotron K 410-420-430 Comfort pump 55,63 l/mn	4					B2												2
17	Agrotron K 410-420-430 Comfort pump 75 l/mn	4						B2											2 4 51
18	Agrotron K 410-420-430 Profiline	4						B2											2 4 51
19	Agrotron K 610 Comfort pump 55,63 l/mn	6						B3											2
20	Agrotron K 610 Comfort pump 75 l/mn	6							B3										2 4 51
21	Agrotron K 610 Profiline	6							B3										2 4 51
22	Agrotron M 600-610-620 Comfort	6															B3		2
23	Agrotron M 610-620 Profiline	6																B3	2 4 51
24	Agrotron M 640 Comfort	6																B4	2 4 51
25	Agrotron M 640 Profiline	6																B4	2 4 51
26	Agrotron M 650 Comfort	6																HD1	2 4 51
27	Agrotron M 650 Profiline	6																HD1	2 4 51
28	TTV 1130-1145-1160	6																B4	2 4 51
29	TTV 1130-1145-1160 Suspension	6																B4	2 4 51
30	TTV 610-620 Profiline	6																B4	2 4 51
																		HD1	

DEUTZ		MPower and MPA Loaders											Notes						
		GM 940mm		MM 1020mm						HD 1120mm									
		45	55	65	75	85	95	105	115	125	60	70		80	90	100	120	140	160
RECENT RANGE for MPA Loaders		Cyl																	
RECENT RANGE for MPower Loaders																			
1	Agrolux 60-70 Roll bar	3 4			B2														
2	Agrolux 80-90 Roll bar	4				B3													
3	Agroplus 60	3			B2														
4	Agroplus 70-80	4			B2														
5	Agroplus 75-85-95 Roll bar	4					B4												
6	Agroplus 75-85-95 Cab	4					B4												
7	Agroplus 100 Roll bar	6						B5											
8	Agroplus 100 Cab	6						B5											
9	Agroplus 95 New	4						B3											
10	Agroplus 95 New Irland	4						B3											
11	Agrofarm 85-100	4					B3												
12	Agrotron K 90-100-120 Comfort pump 55,63 l/mn	4					B2												2
13	Agrotron K 90-100-120 Comfort pump 75 l/mn	4						B2											2 4 51
14	Agrotron K 90-100-120 Profiline	4						B2											2 4 51

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 17) Original roll bar only
- 25) Exhaust facing downwards only.
- 51) Profiline : On tractor valves, 3rd and 4th function
extra cost of 176€, Ref: 65801527

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

DEUTZ		MPower and MPA Loaders													Notes					
		GM 940mm		MM 1020mm								HD 1120mm								
		45	55	65	75	85	95	105	115	125	60	70	80	90		100	120	140	160	180
RECENT RANGE for MPA Loaders		Cyl																		
RECENT RANGE for MPower Loaders																				
15	Agrotron K 110 Comfort pump 55,63 l/mn	6							B3											2
16	Agrotron K 110 Comfort pump 75 l/mn	6								B3										2 4 51
17	Agrotron K 110 Profiline	6								B3										2 4 51
18	Agrotron 120-130-150 Comfort Engine 2012	6															HD1			2 4
19	Agrotron 120-130-150 Profiline Engine 2012	6															B3	HD1		2 4 51
20	Agrotron 150.7 Comfort and Profiline	6															B4	HD1		2 4 51
21	Agrotron 470-480-458-490-495	4							B2											2
22	Agrotron 80-85-90-100 MK II	4							B2											2
23	Agrotron 80-85-90-100 MK III	4							B2											2 4 47
24	Agrotron 80-85-90-100 MK III Suspension	4							B2											2 4 47
25	Agrotron 80-85-90-100 MK III Suspension and front linkage	4							B2											2 4 47
26	Agrotron 6.00-6.01-6.05-6.15	6								B3										2 4
27	Agrotron 105-106-110-115	6								B3										2
28	Agrotron 105-106-110-115 Suspension	6								B3										2 4
29	Agrotron 108-118-128	6								B3										2 4
30	Agrotron 108-118-128 Suspension	6								B3										2 4
31	Agrotron 620-630-645	6														B4				2 4
32	Agrotron 120-135-150 Engine 1013	6															B4			2 4
33	Agrotron 120-135-150 Engine 1013 Suspension	6															B4			2 4
34	Agrotron 130-140-155 Engine 1013	6															B4			2 4
35	Agrotron 130-140-155 Engine 1013 Suspension	6															B4			2 4

DEUTZ		MPower and MPA Loaders													Notes					
		GM 940mm		MM 1020mm								HD 1120mm								
		45	55	65	75	85	95	105	115	125	60	70	80	90		100	120	140	160	180
OLD RANGE for MPA Loaders		Cyl																		
OLD RANGE for MPower Loaders																				
1	3700-3900 F and S Cab / Rigid roll bar	4	A2																	2
2	3700-3900 F and S Foldable roll bar	4	A2																	2
3	DX 3.10-3.30-3.50	3			B1															2
4	DX 3.60-3.65-3.75	4				B1														2
5	DX 3.57 Agroextra	3				B2														2
6	DX 4.07-4.17 Agroextra	4					B2													2
7	DX 3.70-3.90 StarCab	4					B3													
8	DX 3.70-3.90 VarioCab	4					B3													
9	DX 4.10-4.30-4.50-470 MasterCab	4					B2													2
10	DX 4.31-4.51.4.56 Agroprima	4					B2													2
11	DX 80-86-92	4					B2													2
12	DX 4.61-4.71 Agrostar	4							B2											2
13	DX 4.68-4.78 Agrostar	4							B2											2
14	DX 4.47-4.57 Agroextra	4					B2													2
15	DX 6.05	6												B6						
16	DX 6.06-6.11-6.16-6.21-6.31	6												B4						2
17	DX 6.07-6.17 Agroextra, 6.08- 6.28-6.38 Agrostar	6												B4						2
18	DX 6.10-6.30	6														B6				5
19	DX 6.50-DX145	6																B6		
20	DX 85-90	5								B6										5
21	DX 110-120	6												B6						
22	4006-4506-5006-5206-4007-4507-4807-5207 and C	3			B2															2
23	6006-6206-6506-6806-5506	4				B2														2
24	6007-6207-6507-6807-7007 and C	4				B2														2
25	7006-7206-7207-7807 and C	4				B2														2
26	7006-7206 Front axle typ ZF AL 1550	4				B3														2

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 5) Loader off-set = 3 cm
- 51) Profiline : On tractor valves, 3rd and 4th function extra cost of 176€, Ref: 65801527

Advised loaders

A	GLISS MATIC subframe without extensions
A	GLISS MATIC subframe with extensions
B	MEGA MATIC subframe without extensions
B	MEGA MATIC subframe with extensions

HURLIMANN			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
			45	55	65	75	85	95	105	115	125		
RECENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
RECENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	XE F Tradition 55-70	3	A3										
2	XE Tradition 55-70	3		B2									25
3	X F/S 70 Roll bar	4	A3										17
4	X F/S 70 Cab	4	A3										17
5	XF/S 75-90-100 Roll bar	4	A3										17
6	XF/S 75-90-100 Cab	4	A3										17
7	XA 56- 66 Exhaust facing downwards	3		B2									
8	XA 76-86	4		B2									
9	XB 75 T/TB	4			B3								17
10	XB 85-95 T/TB	4				B3							17
11	XB MAX 85-100	4				B3							
12	XT 95-110	4				B3							
13	XT 105	6						B5					
14	XT 115-130	6						B5					40
15	XM 90-120 Hi-Line	4					B2						2 4 51
16	XM 110 Hi-Line	6						B3					2 4 51
17	XM 130-140-160 Hi-Line	6									HD1		2 4 51
											B3		

HURLIMANN			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
			45	55	65	75	85	95	105	115	125		
OLD RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
OLD RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	XF H 361-55-70	3	A3										38
2	XF H 476-491-75-90-100	4		A3									38
3	XEF 305-306-307	3	A3										
4	XE 305-306-307	3			B2								
5	606-655-656 Exhaust facing downwards	3			B2								
6	607-657-658	4			B2								
7	Club 468.4	4				B3							
8	H 651-631	4			B3								
9	H 470	4				B3							
10	H 480	4				B3							
11	H358 Prestige	3			B2								2
12	H478-488 Prestige-H 4105 Elite	4				B3							
13	468 Prestige	4				B3							
14	478-488 Prestige	4				B3							
15	908-909-910.4	4				B3							
16	910.6	6						B5					
17	910.6 Large fuel tank	6						B6					
18	911-913	6							B5				40
19	6115-6135	6							B5				

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 17) Only with original roll bar
- 25) Exhaust facing downwards only
- 38) Impossible with inversed driving and additional fuel tank
- 40) Not compatible with front weights bracket width 645mm
- 51) On tractor valves, 3rd and 4th function
extra cost of 176€, Ref: 65801527

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

Notes :

JOHN DEERE		MPower and MPA Loaders											Notes	
		Cyl	GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders				60	70		90							
CURRENT RANGE for MPower Loaders				60	80		100	120	140	160	180			
1	5215F-5315F Cab	3	A2											2
2	5215F-5315F Roll bar	3	A2											2
3	5515F-5615F Cab	4		A2										2
4	5515F-5615F Roll bar	4		A2										2
5	5215-5315 Cab	3			B2									2
6	5215-5315 Roll bar	3			B2									2
7	5415-5515 Cab	4				B3								
8	5415-5515 Roll bar	4				B3								
9	5620-5720-5820	4					B1							2 4
10	5080R-5090R-5100R	4					B1							2 4
11	6130-6230-6330-6430 and Premium	4							B2					2 4
12	6530-6630 and Premium	6								B3				2 4
13	6830- 6930 and Premium	6										HD1		2 4
											B3			

JOHN DEERE		MPower and MPA Loaders											Notes	
		Cyl	GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders				60	70		90							
RECENT RANGE for MPower Loaders				60	80		100	120	140	160	180			
1	5300N-5400N	3	A2											2
2	5500N-5510N	4		A2										2
3	5310N-5410N	3	A2											2
4	5300-5400	3			B2									
5	5500	4				B2								
6	5310-5410	3			B2									
7	5510 Cab	4				B2								
8	5510 Roll bar	4				B2								
9	3100-3110	3			B3									
10	3200-3300-3400-3210-3310-3410	4					B3							
11	6100-6200-6300-6400	4							B1					2 4
12	6506-6600-6800-6900	6								B3	B3			2 4
13	6010-6110-6210-6310-6410	4							B1					2 4
14	6510-6610-6810-6910	6								B3	B3			2 4
15	6020-6120-6220- 6320-6420 S and SE	4							B1					2 4
16	6020-6120-6220- 6320-6420 Cab suspension (Before 01/2004)	4							B1					2 4
17	6520-6620-6820-6920	6										HD1		2 4
										B3	B3			
18	6520-6620-6820-6920 Cab suspension (Before 01/2004)	6										HD1		2 4
										B3	B3			
19	7600-7700-7610-7710	6										HD2		2 4
											B4			

Specific notes

- 2) Extensions to rear axle not possible
 - 4) Tractors with Load Sensing require extra LSDE - See price list
- For 6000/6010/6020 series, if LS plate necessary, needs to be ordered at John Deere Dealer (Plate is not delivered)

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

Notes :

LAMBORGHINI			MPower and MPA Loaders										Notes	
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	60	70		90								
CURRENT RANGE for MPower Loaders			60	80		100	120	140	160	180				
1	Crono F 55-70 Target	3	A3											
2	Crono 55-70 Target	3		B2										25
3	RF/RS 70 Roll bar	3	A3											17
4	RF/RS 70 Cab	3	A3											17
5	RF/RS 75-90-100 Roll bar	4	A3											17
6	RF/RS 75-90-100 Cab	4	A3											17
7	Rekord 60-70	3		B2										17 25
8	R2 56-66 Exhaust facing downwards	3		B2										
9	R2 76-86	4		B2										
10	R2 60-80	3		B2										
11	R2 90	4		B2										
12	Cross 774.80 N-874.80 N- 874.90N	4				B3								
13	R3 Evo 85-100-110	4				B3								
14	R4 95-110	4				B3								
15	R4 105	6						B5						
16	R5 115-130	6							B5					40
17	R6 100-110-125 Target pump 75 l/mn DCR	4					B2							2 4 51
18	R6 100-110-125 Hi-Profile DCR	4					B2							2 4 51
19	R6 115 Target pump 75 l/mn DCR	6						B3						2 4 51
20	R6 115 Hi-Profile DCR	6						B3						2 4 51
21	R6 130-140-160 Target DCR	6								B3				2 4 51
22	R6 130-140-160 Hi-Profile DCR	6								B3				2 4 51
23	R6 175 Classic DCR	6									B3			2 4 51
												HD1		
24	R6 175 HI-Line DCR	6								B3				2 4 51
													HD1	
25	R6 185 classic DCR	6											HD1	2 4 51
26	R6 185 HI-Line DCR	6											HD1	2 4 51

LAMBORGHINI			MPower and MPA Loaders										Notes	
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	60	70		90								
RECENT RANGE for MPower Loaders			60	80		100	120	140	160	180				
1	F Plus 55-60-70	3	A3											38
2	F Plus 75-85-90-100	4		A3										38
3	Crono 554.55F-564.65F-574.75F	3	A3											
4	Crono 554.50-564.60-574.70	3		B2										25
5	Sprint 654.55-664.60-664.65 Exhaust facing downwards	3		B2										
6	Sprint 674.70-674.75-684.85	4		B2										
7	573.60N-574.60N	3		B3										17
8	Cross 674.70 N	4			B3									17
9	R3 75 T/TB	4			B3									17
10	R3 85-95 T/TB	4			B3									17
11	Grand Prix 674.70	4			B3									
12	Grand Prix 674.70 LS	4			B3									
13	Grand Prix 774.80-874.90	4				B3								
14	Grand Prix 774.80-874.90 LS	4				B3								
15	Grand Prix 75-85-95 Target	4				B3								
16	R3 85-95	4				B3								

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 17) Only with original roll bar
- 25) Exhaust facing downwards only
- 38) Impossible with inversed driving and additional fuel tank
- 40) Not compatible with front weights bracket width 645mm
- 51) On tractor valves, 3rd and 4th function
extra cost of 176€, Ref: 65801527

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

LANDINI			MPower and MPA Loaders										Notes	
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	45	55	60	70	80	90	100	120	140	160	180	
CURRENT RANGE for MPower Loaders			60	80	100	120	140	160	180					
1	Rex 60-70-80 F Roll bar	3	A3											2
2	Rex 60-70-80 F Cab	3	A3											2
3	Rex 75-85-95-105-F / GT Roll bar	4	A3											2
4	Rex 75-85-95-105-F / GT Cab	4	A3											2
5	Technofarm 55-65-75 Tier III	3			B3									25
6	Technofarm 80 Tier III	4			B3									25
7	Alpine 70-80-85 GT Tier III	4			B3									
8	Alpine 70-80-85 STD Tier III	4			B3									
9	Powerfarm 65-75 Cab Tier III	3			B3									
10	Powerfarm 65-75 Roll bar Tier III	3			B3									
11	Powerfarm 80-90-100-105 Cab Tier III	4				B3								
12	Powerfarm 80-90-100-105 Roll bar Tier III	4				B3								
13	Powervision 80-90-100-110	4				B3								
14	Vision 80-85-90-95-100-105 Cab	4					B3	B3						48
15	Vision 80-85-90-95-100-105 Roll bar	4					B3	B3						48
16	Powermondial 100-110-115	4					B3	B3						
17	Landpower 125 TDI Dual Power Iveco Engine	6								B5				
18	Landpower 135-145 TDI Dual Power Iveco Engine	6								B5				

LANDINI			MPower and MPA Loaders										Notes	
			GM 940mm		MM 1020mm						HD 1120mm			
			45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	45	55	60	70	80	90	100	120	140	160	180	
RECENT RANGE for MPower Loaders			60	80	100	120	140	160	180					
1	Rex 70-80-90-100-F/ L / GE Roll bar	4	A3											2
2	Rex 70-80-90-100-F/ L / GE Cab	4	A3											2
3	Rex 70-80-90-100-GT Roll bar	4		A3										2
4	Rex 70-80-90-100-GT Cab	4		A3										2
5	Alpine 65-75-85-GT	4			B3									
6	Alpine 65-75-85-STD	4			B3									
7	Technofarm 60-70-80	3			B3									25
8	Technofarm 75	4				B3								25
9	Atlantis 70-75-80-85-90-95-100	4				B2								
10	Atlas 70-75-80-85-90	4				B2								
11	Powerfarm 60 Cab	3			B3									
12	Powerfarm 60 Roll bar	3			B3									
13	Powerfarm 75-85-95-105 Cab	4				B3								
14	Powerfarm 75-85-95-105 Roll bar	4				B3								
15	Mythos 90-95-100-105	4					B3							
16	Mythos 110-115	6							B3					
17	Legend 115-120-130 NG TDI	6								B5				
18	Legend 140 NG-145-TDI	6									B5			
19	Landpower 125-135 TDI Dual power	6								B5				

Specific notes

- 2) Extensions to rear axle not possible
- 25) Exhaust facing downwards only
- 48) Please specify if original Landini monolever

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

Notes :

MASSEY FERGUSON		MPower and MPA Loaders											Notes		
		GM 940mm		MM 1020mm						HD 1120mm					
		45	55	65	75	85	95	105	115	125					
CURRENT RANGE for MPA Loaders		Cyl	60	70		90									
CURRENT RANGE for MPower Loaders			60	80		100	120	140	160	180					
1	3435-3445-3455 F/S Cab	4	A3												
2	3435-3445-3455 F/S Roll bar	4	A3												
3	420-430 Only 4WD	3		B3											
4	2430-2435-2440 STD	4		B3											
5	2430-2435-2440 GE	4		B3											
6	3615-3625-3635-3645	3			B2										
7	4435	3			B2										
8	4445-4455	4				B2									
9	5425-5435 Dyna 4 Tier II et III Perkins Engine	4				B3									
10	5445-5455-5460 Dyna 4 Tier II et III Perkins Engine	4					B3								
13	5470-5480 Dyna 4 Sisu Engine	4					B3								
14	5465-5475 Dyna 4 Tier III Perkins Engine	6							B5						
15	6445-6455 Dyna 6, Tier III Perkins Engine	4					B3								4
17	6460-6470 Dyna 6 Tier III Sisu Engine	4					B3								4
18	6465-6475-6480 Dyna 6 Tier III Perkins Engine	6										HD2			4
									B5						
19	6465-6475-6480 Dyna 6 Tier III Front linkage without beam	6										HD2			4
									B4						
20	7465-7475-7480 Dyna 6 Tier III	6										HD2			4
													B5		

MASSEY FERGUSON		MPower and MPA Loaders											Notes		
		GM 940mm		MM 1020mm						HD 1120mm					
		45	55	65	75	85	95	105	115	125					
RECENT RANGE for MPA Loaders		Cyl	60	70		90									
RECENT RANGE for MPower Loaders			60	80		100	120	140	160	180					
1	3330-3340-3350-3355 F/S Roll bar	4	A3												
2	3330-3340-3350-3355 F/S Cab	4	A3												
3	2225-2230	4		B3											
4	4225-4235-4245-4255 and Sloping bonnet	4			B2										
5	4260-4270	6					B5								
6	4260-4270 Trac Equipement front linkage	6					B5								
7	4325-4335-4345-4355-4365	4			B2										
8	4360-4370	6					B5								
9	4360-4370 Trac Equipement front linkage	6					B5								
10	5425-5435 Except Dyna 4	4			B3										
11	5445-5455-5460 Except Dyna 4	4				B3									
12	5425-5435 Dyna 4 Sloping bonnet Tier II	4			B3										
13	5445-5455-5460 Dyna 4 Sloping bonnet Tier II	4				B3									
14	5465 Dyna 4 Tier II	6					B5								
15	6235-6245-6255-6265	4					B3							4	20
16	6235-6245-6255 Sloping bonnet	4					B3							4	20
17	6260-6270-6280-6290	6							B5						4
18	6445-6455 Except Dyna 6 Perkins Engine	4					B3								4
19	6445-6455 Dyna 6, Tier II Sloping bonnet Perkins Engine	4					B3								4
20	6460-6470 Except Dyna 6 Perkins Engine	4					B3								4
21	6460-6470 Dyna 6 Tier II Perkins Engine	4					B3								4
22	6465-6475-6480 and Dyna 6 Tier II	6							B5						4
23	7465-7475-7480 Tier II	6										B5			4

Specific notes

- 4) Tractors with Load Sensing require extra LSDE - See price list
- 20) Specify if additional fuel tank.

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

NEW HOLLAND		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
CURRENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	T4030- 4040 N Roll bar	4	A3									2	
2	T4050 N Roll bar	4	A3									2	
3	T4030- 4040 N Cab	4	A3									2	
4	T4050 N Cab	4	A3									2	
5	T4030F-4040F Cab SuperSteer	4	A3									25	
6	T4050F Cabine SuperSteer	4	A3									25	
7	T4020-4030 Standard	4		B2								25 30	
8	T4040-4050 Standard	4			B2							25	
9	T4020-4030 Deluxe	4		B2								25 30	
10	T4040-4050 Deluxe	4			B2							25	
11	T4020-4030 SuperSteer	4			B2							30	
12	T4040-4050 SuperSteer	4			B2							30	
13	TD 5010-5020-5030	4			B3								
14	TD5040-5050	4			B3	B3							
15	T5030-5040-5050-5060 Standard Deluxe	4				B3							
16	T6010-6020 Delta Standard	4					B3					2	
17	T6010-6020-6040-6060 Plus and Elite Standard	4						B3				2 4 51	
18	T6010-6020-6040-6060 Plus and EliteTerraglide	4						B3				2 4 51	
19	T6010-6020-6040-6060 Plus and Elite SuperSteer	4						B4				2 4 30	
20	T6030-6050 Delta Standard	6						B4				2	
21	T6030-6050-6070 Plus and Elite Standard	6							B4			2 4 51	
22	T6030-6050-6070 Plus and Elite Terraglide	6							B4			2 4 51	
23	T6030-6050-6070 Plus and Elite SuperSteer	6							B5			2 4 30 51	
24	T6030-6050-6070-6080 Range or Power command Standard	6								B4		2 4 51	
25	T6030-6050-6070-6080 Range or Power command Terraglide	6								B4		2 4 51	
26	T6030-6050-6070-6080 Range or Power command SuperSteer	6								B5		2 4 30 51	
27	T7030-7040-7050-7060 Standard and Terraglide	6									HD2	2 4 51	
28	T7510-7520-7530-7540-7550	6										HD1	2 4 51

NEW HOLLAND		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
RECENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	TNNA 70-75 Roll bar	3	A3									2	
2	TNNA 70-75 Cab	3	A3									2	
3	TNNA 95 Roll bar	4	A3									2	
4	TNNA 95 Cab	4	A3									2	
5	TNFA 75-85-95	4	A3									25 44	
6	TNA 60-70-75	3		B2								2	
7	TNA 85-95	4			B3							25	
8	TNDA 60-70-75	3		B2								2	
9	TNDA 85-95	4			B2								
10	TNSA 60-70-75 SuperSteer	3		B2								2 30	
11	TNSA 85 SuperSteer	4			B2							30	
12	TDD 75-80-85-90-95 2WD	4			B2								
13	TDD 75-80-85-90-95 4WD	4			B2	B2							
14	TLA 70-80-90-100	4				B3							
15	TSA 100-110 Delta Plus Elite	4						B3				2 4	
16	TSA 100-110 Terraglide	4						B3				2 4	
17	TSA 100-110 SuperSteer	4						B4				2 4 30	

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 25) Exhaust facing downwards only
- 30) Mud guard assembly not possible
- 44) Manip monolever with original tractor valves, please consult us
- 51) For 3rd and 4th function with Armrest-Joystick on tractor valves extra cost 177€, Ref: 65801528

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

SAME		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
CURRENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	Argon F 55-70 Classic	3	A3										
2	Frutteto III et S 90-100	4		A3									
3	Frutteto III 90-100 Classic	4		A3									17
4	Argon 55-70 Classic	3			B2								25
5	Dorado F/S 70 Roll bar	3	A3										17
6	Dorado F/S 70 Cab	3	A3										17
7	Dorado F/S 75-90-100 Roll bar	4	A3										17
8	Dorado F/S 75-90-100 Cab	4	A3										17
9	Dorado 56- 66 Exhaust facing downwards	3			B2								
10	Dorado 76-86	4			B2								
11	Dorado 60-70	3			B2								
12	Dorado 90	4			B2								
13	Tiger 60-70	3			B2								17 25
14	Explorer 75- 85-95 T/TB	4				B3							17
15	Explorer III 85-100-110 Classic	4				B3							
16	Silver 95-110	4					B3						
17	Silver 105	6						B5					
18	Silver 115-130	6							B5				40
19	Iron 100-110-125 Classic pump 75 l/mn DCR	4					B2						2 4 51
20	Iron 100-110-125 Hi-Line DCR	4					B2						2 4 51
21	Iron 115 Classic pump 75 l/mn DCR	6						B3					2 4 51
22	Iron 115 Hi-Line DCR	6						B3					2 4 51
23	Iron 130-140-160 Classic DCR	6								B3			2 4
24	Iron 130-140-160 Hi-Line DCR	6								B3			2 4 51
25	Iron 175 Classic DCR	6								B3			2 4
											HD1		
26	Iron 175 Hi-Line DCR	6								B3			2 4 51
												HD1	
27	Iron 185 Classic DCR	6										HD1	2 4 51
28	Iron 185 Hi-Line DCR	6										HD1	2 4 51

SAME		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
RECENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	Frutteto II 55-60-70	3	A3										38
2	Frutteto II 75-85-90-100	4		A3									38
3	Compatto 75-85 Same Cab	4	A3										
4	Argon 50-60-70	3			B2								25
5	Dorado 55-60-65 Exhaust facing downwards	3			B2								
6	Dorado 70-75-85	4			B2								
7	Explorer Special II 60	3			B3								17
8	Explorer Special 1.5 80-90	4				B4							17
9	Explorer Special II 70-80 Basso	4				B3							17
10	Explorer Export II 60	3			B2								2
11	Explorer Export II 70	4				B3							
12	Explorer Export II 70 Top	4				B3							
13	Explorer Export II 80-90	4					B3						
14	Explorer Export II 80-90 Top	4					B3						

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 17) Only with original roll bar
- 25) Exhaust facing downwards only
- 38) Impossible with inversed driving and additional fuel tank
- 40) Not compatible with front weights bracket width 645mm
- 51) On tractor valves, 3rd and 4th function
extra cost of 176€, Ref: 65801527

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

SAME			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
			45	55	65	75	85	95	105	115	125		
RECENT RANGE for MPA Loaders			Cyl	60	70	80	90	100	120	140	160	180	
RECENT RANGE for MPower Loaders													
15	Explorer 75-95 Classic	4				B3							
16	Explorer 75-85-95	4				B3							
17	Silver 80-90-100.4	4					B3						
18	Silver 100.6	6							B5				
19	Silver 100.6 Large fuel tank	6							B6				
20	Iron 100-120 Classic pump 55,63 l/mn Tier II	4				B2							2
21	Iron 100-120 Classic pump 75 l/mn Tier II	4					B2						2 4 51
22	Iron 100-120 Hi-line Tier II	4					B2						2 4 51
23	Iron 110 Classic pump 55,63 l/mn Tier II	6					B3						2
24	Iron 110 Classic pump 75 l/mn Tier II	6						B3					2 4 51
25	Iron 110 Hi-Line Tier II	6						B3					2 4 51
26	Iron 120-130-150 Hi-Line 2012 Engine	6									B3		2 4 51
27	Iron 150,7 Hi-Line	6									B4		2 4 51

SAME			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
			45	55	65	75	85	95	105	115	125		
OLD RANGE for MPA Loaders			Cyl	60	70	80	90	100	120	140	160	180	
OLD RANGE for MPower Loaders													
1	Frutteto 60 Cabine	3	A3	A3									26
2	Frutteto 70 Cabine	4	A3										26
3	Solar 50-60	3			B3								
4	Aster 60-70	3			B3								26
5	Explorer Special 60	3			B3								17
6	Explorer Special 65-70-75-80-90	4				B4	B4						17
7	Explorer Export 65-70 Front fuel tank	4				B4							
8	Explorer Export 70 Fuel tank under footboard	4				B3							
9	Explorer Export 75-80-90	4					B3						
10	Antares 100	4					B3						
11	Antares 110-130	6							B5				
12	Laser 90-100	4 5						B4					
13	Laser 110-130	6							B5				
14	Centauro 70- Mercury 85- Centurion75- Export	4				B5							
15	Leopard 85-90 Export	4				B5							

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 17) Only with original roll bar
- 25) Exhaust facing downwards only
- 26) Only with Same cab
- 38) Impossible with inversed driving and additional fuel tank
- 40) Not compatible with front weights bracket width 645mm
- 51) On tractor valves, 3rd and 4th function
extra cost of **176€**, Ref: 65801527

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

Notes :

VALTRA		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
CURRENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
CURRENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	3100F-3300F Cab	3	A3										2
2	3400F-3500F-3600-3700F Cab	4		A3									2
3	3400F-3500F-3600-3700F after 01/2004 Foldable roll bar	4		A3									2
4	3100C-3300C Rigid roll bar	3	A3										2
5	3400C-3500C-3600C Rigid roll bar	4			B2								
6	3400C-3500C-3600C Cab	4			B2								
7	A 72-82-92 Rear subframe	4					B2						
8	A 72-82-92 Exhaust facing downwards	4					B2						
9	A 72-82-92 Front subframe	4					B2						
10	A 72-82-92 Zuidberg front linkage	4					B2						
11	N 82-92 Rear subframe	4						B3					2 14
12	N 82-92 Front subframe	4						B3					2 14
13	N 82-92 Rear subframe with joystick	4						B3					2 14
14	N 82-92 Front subframe with joystick	4						B3					2 14
15	N 82-92 Zuidberg front linkage	4						B3					2 14
16	N 91-101-111 Classic	4						B3					2 14
17	N 91-101-111-121-141 HiTech	4						B3					2 14
18	N 91-101-111-121-141 HiTech with joystick	4						B3					2 14
19	N 121-141 Advance with joystick	4							B3				2 14
20	N 122-144 Direct-Versu with joystick	4							B3				2 14
21	T 121-131-151 Classic-Hitech	6								B6			7
22	T 121-131-151 HiTech-Advance with joystick	6								B6			7
23	T132-152 Direct-Versu with joystick	6								B6			7
24	T 151-161-171-191 Classic-Hitech	6										HD1	7
25	T 151-161-171-191 HiTech-Advance with joystick	6										HD1	7
26	T 152-162-172-182-202 Direct-Versu with joystick	6										HD1	7

VALTRA		MPower and MPA Loaders											Notes
		GM 940mm		MM 1020mm						HD 1120mm			
		45	55	65	75	85	95	105	115	125			
RECENT RANGE for MPA Loaders		Cyl	60	70	80	90	100	120	140	160	180		
RECENT RANGE for MPower Loaders			60	80	100	120	140	160	180				
1	3100F-3300F Roll bar before 01/2004	3	A3										2
2	3400F-3500F Roll bar before 01/2004	4		A3									2
3	A 85-95 Rear subframe	4					B2						
4	A 65-75-85-95 Exhaust facing downwards	4					B2						
5	A 65-75-85-95 Front subframe	4					B2						
6	A 75-85-95 Zuidberg front linkage	4					B2						
7	6250-6350-6550-6650-6750-6850	4						B3					7
8	6650-6750-6850 Plastic fuel tank	4						B3					7
9	6650-6750-6850 Plastic fuel tank and suspension	4						B3					7
10	6250-6350-6550-6650-6750-6850 Suspension	4						B3					7
11	C 90-100-110-120-130-140-150	4						B3					2 4 39
12	M 120-130-150	4								B4			4 39
13	M 120-130-150 Zuidberg front linkage	4								B4			4 39
14	T 120-130-140 Classic	6								B6			
15	T 120-130-140 HiTech	6								B6			4 39
16	T 120-130-140 HiTech Zuidberg front linkage	6								B6			4 39
17	T 140-160-170 HiTech Zuidberg front linkage	6										HD1	4 39

Specific notes

- 2) Extensions to rear axle not possible
- 4) Tractors with Load Sensing require extra LSDE - See price list
- 7) Specify if Zuidberg front hitch
- 14) Cross bar without extension
- 39) Only original monolever

For 4th function add Ref. 65801523

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

ZETOR			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
CURRENT RANGE for MPA Loaders		Cyl	45	55	65	75	85	95	105	115	125		
CURRENT RANGE for MPower Loaders				60	70	80	90	100	120	140	160	180	
1	6441-7441-8441 Proxima Z Roll bar tier III	4					B4						
2	6441-7441-8441 Proxima Z Cab Tier III	4					B4						
3	8541-9541-10541 Proxima Z Plus Cab Tier III	4						B4					
4	9641-10641-11441-12441 Forterra Tier III	4						B4					

ZETOR			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
RECENT RANGE for MPA Loaders		Cyl	45	55	65	75	85	95	105	115	125		
RECENT RANGE for MPower Loaders				60	70	80	90	100	120	140	160	180	
1	5320-6320-7320 Major S	4			B3								
2	5340-6340-7340 Major S	4				B3							
3	4321-5321-6321-7321	4			B3								
4	4341-5341-6341-7341	4				B3							
5	8641-9641-10641	4					B3						
6	8641-9641-10641-11441-12441 Forterra II	4						B3					
7	6441-7441-8441 Roll bar	4					B3						
8	6441-7441-8441 Cab	4					B3						
9	7541-8541-9541-10541 Proxima Plus Tier II	4					B5						

ZETOR			MPower and MPA Loaders										Notes
			GM 940mm		MM 1020mm						HD 1120mm		
OLD RANGE for MPA Loaders		Cyl	45	55	65	75	85	95	105	115	125		
OLD RANGE for MPower Loaders				60	70	80	90	100	120	140	160	180	
1	3320-3340-4320-4340-5320-5340-6320-6340-7320-7340	3 4				B3							
2	8520-8540-9520-9540	4				B3							
3	7520-7540	4				B3							
4	10540	4					B3						
5	5011-5045-5245-6011-6211-7011-7211-7711	4			B3								30
6	6045-6245-7045-7245-7745	4				B3							30
7	8045-10145-10245	4					B4						
8	9145-9245	4					B3						
9	11245-12245	6							B6				

Specific notes

30) Fitting of the metal mud guard not possible

Advised loaders

- A** GLISS MATIC subframe without extensions
- A** GLISS MATIC subframe with extensions
- B** MEGA MATIC subframe without extensions
- B** MEGA MATIC subframe with extensions

Notes :
